

Bowen Therapy – Aftercare

Do's and Don'ts after Treatment

It is important for you to observe the following:

Please don't sit for more than ½ an hour at a time (on the day of treatment only). This does not mean that you have to spend all day standing up. If you stand and walk around the chair you were sitting on, and then sit down again, that is sufficient. Please don't forget this if you are in a car.

After or between treatments:

- Drink plenty of pure water – little and often is best
- Do plenty of walking – at least 15 minutes a day
- Practice any exercise(s) that you may have been set

AND avoid the following (preferably for 1 week after treatment):

- Sitting with your legs crossed
- Hot-water bottles/packs of frozen peas
- Electric blankets
- Deep-heat rubs
- Long, hot baths – a warm bath for no longer than 10 minutes is OK
- Hot, hard showers – a power shower is out of the question. A gentle flow, not too hot is OK.

If the jaw has been worked on, you should avoid yawning. Please keep your teeth together or support your lower jaw with your hand if you feel a yawn coming on. Fruit/food which requires a wide jaw movement (such as apples) should be avoided or cut up. You should avoid hard food such as nuts, carrot, apples and very chewy foods like toffees. However, it is a good excuse not to go to the dentist between treatments!

Any other form of treatment. This is very important. If you wish to have a massage, physiotherapy or any other form of treatment, please wait until you have finished your Bowen treatments before embarking on something else. Herbal and homeopathic and any other conventional medicine, is of course fine.

You may feel stiff and achy after the treatment for a couple of days. Do not panic. This is perfectly normal and is your body trying to correct itself. If you are in a lot of pain please do not rub the area, but take a painkiller (turmeric with natural vitamin C are great for management of mild and medium pains), Arnica cream or similar natural remedy if necessary. If after 5 days you are still in a lot of pain, or you are worried, please feel free to call us. Some people can feel a little emotional after Bowen, which is also 'normal'

A second treatment is recommended, and needs to be between 5 and 10 days after the initial treatment, 7 being optimum. Observing the above as much as possible will help Bowen to be effective. We hope that you have enjoyed your Bowen treatment and will find it beneficial.